

DEALER PRODUCT SELECTION GUIDE

PAVERS | RETAINING WALLS | ARCHITECTURAL SLABS | PATIO STONES









CONTENTS

Pavers	
Roman Cobblestone	5
Dominion Slate	6
Dominion Pavers	7
Plank Pavers	8
Holland Pavers	9
Old Dominion Squares & Recs	
Old Dominion Circle	11
Eco-Priora®	
TurfStone [®]	12
Retaining Walls	
Roman Cypress [™]	14
StackStone [®]	
CypressStone [™]	
CottageStone [®]	
CornerStone [®]	
ManorStone [®]	
ManorStone [®] Elite	



Architectural Slabs & Patio Stones	23–29
Vancouver Bay Series	24-25
Glacier Slate	
Columbia Patio Series	
Porcelain Architectural Slabs	
Slaton™	
Accessories	30-31
Patio Stones, Stepping Stones & Edgers	30-31
Hardscape Accessories	
Sand, Gravel, Cements, & Mortars	
Edge Restraints	
Slab Accessories, Diamond Head Series Pedestals	
Smart-Blend Process	
Cleaning and Sealing	
Frequently Asked Questions	






PAVERS

From old world to contemporary, pavers can lend a distinctive tone to the character of your yard. Patios, walkways, driveways and pool decks all benefit from the beauty, strength and durability of concrete pavers. Mutual Materials pavers come in a variety of shapes, colors and textures so that you can make your dream a reality.






Running Bond



Offset 45° Herringbone




ROMAN COBBLESTONE





Large Unit



Coverage:	2.29 pcs/ft ²
Coverage / Pallet:	: 97.1 ft ²
Pcs/Pallet:	225
Weight Each:	13 lb
Pallet Weight:	2,840 lb



Charcoal



Northwest Blend



Summit Blend



Rustic Blend

DOMINION SLATE









Cascade Blend






Northwest Blend

Dominion Slate Large Rectangle




Coverage:	1.6 pcs /ft ²
Coverage / Pallet:	90.9 ft ²
Pcs/Pallet:	144
Weight Each:	17.6 lb
Pallet Weight:	2,545 lb

Rectangle Running Bond



Dominion Slate Rectangle



Coverage:	3.16 pcs /ft ²
Coverage / Pallet:	102.6 ft ²
Pcs/Pallet:	324
Weight Each:	9 lb
Pallet Weight:	2,870 lb

Coverage: 4.7 pcs /ft² Coverage / Pallet: 91.26 ft² Pcs/Pallet: 432 Weight Each: 5.8 lb


2,592 lb


5 1⁄2

Pallet Weight:

Dominion Slate Square

3-Piece Ashlar







Herringbone

2 %" H

5 ½" L



6 OUTDOOR LIVING



DOMINION PAVERS







Cascade Blend




Summit Blend

Dominion Square



Coverage:	4.7 pcs /ft ²
Coverage / Pallet:	91.26 ft ²
Pcs/Pallet:	432
Weight Each:	5.8 lb
Pallet Weight:	2,592 lb




Dominion Large Rectangle



*NOT RECOMMENDED FOR VEHICULAR USE.

Coverage:	1.6 pcs /ft ²
Coverage / Pallet:	90.9 ft ²
Pcs/Pallet:	144
Weight Each:	17.6 lb
Pallet Weight:	2,835 lb



Dominion Rectangle




Coverage:	3.16 pcs /ft ²
Coverage / Pallet:	102.6 ft ²
Pcs/Pallet:	324
Weight Each:	9 lb
Pallet Weight:	2,870 lb

Muster K

Sq =30%, Rec =70%

Rectangle Running Bond




PLANK PAVERS



Plank

Coverage:	4 pcs/ft ²
Pcs/Pallet:	396
Weight Each:	7 lb
Pallet Weight:	2,800 lb









Charcoal



Stacked Bond







Running Bond

·		·	·
- T	· _	·	·
	T -		_ <u> </u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>
<u> </u>		<u> </u>	
	<u> </u>		



30% Holland Double, 70% Holland Triple





WWW. MUTUALMATERIALS.COM 9

OLD DOMINION SQUARES & RECS






Cascade Blend



Old Dominion Squares and Recs

All three (3) shapes are mixed on each layer and must be purchased by the full layer or full pallet.

Coverage / Layer:	11.43 ft ²
Coverage / Pallet:	102.74 ft ²
Layers / Pallet:	9
Weight / Layer:	320 lb
Pallet Weight:	2,930 lb









Old Dominion Circle must be purchased by the full pallet.

6.96 Foot Circle–One Pallet

2 3⁄8″	
41 ¾″	
83 ½″	
262 ¾″	
39.27 ft ²	
1,150 lb	
	41 ³ ⁄ ₄ " 83 ¹ ⁄ ₂ " 262 ³ ⁄ ₄ " 39.27 ft ²

 9.75-foot Circle-Two Pallets

 Depth:
 2 ¾"

Radius:	58 1/16″	
Diameter:	116 %″	
Circumference:	367 ¾16″	
Area of Circle:	78.54 ft ²	
Pallet Weight:	1,150 lb x 2	

Small Radius

6" outside

5 ½" L

2 %" H

OLD DOMINION CIRCLE





Cascade Blend




Summit Blend





Rectangle





2¼" inside

ECO-PRIORA®







Pcs. / ft ² :	2.25
Coverage / Pallet	83.04 ft ²
Pcs/Pallet:	192
Weight Each:	16 lb
Pallet Weight:	3,172 lb
Net Void:	9%



Charcoal




4" W

Pcs. / ft ² :	4.5
Coverage / Pallet:	93.2 ft ²
Pcs/Pallet:	432
Weight Each:	8 lb
Pallet Weight:	3,456 lb
Net Void:	13%




Gray


8 x 8 Running Bond



Boxed Basketweave #2



Combination #2




TURFSTONE®



DRIVEWAYS WALKWAYS

TurfStone

Coverage/Piece:	2.6 ft² per pc
Coverage / Pallet:	91 ft ²
Pcs/Pallet:	35
Weight Each:	69 lb
Pallet Weight:	2,415 lb



12 OUTDOOR LIVING



RETAINING WALLS

Whether your project involves adding terraces, raised planting beds or accent walls, Mutual Materials offers the ideal solution for your design and aesthetic needs. Choose between traditional radius and flat face units plus rustic tumbled units for the wall that best complements your landscape and architectural style.














Summit Blend



*Coping Units must be split on site.

STACKSTONE®

MAXIMUM HEIGHT: 2 FEET





PITS PLANTERS



Cascade Blend



Northwest Blend



Rustic Blend (4x8 Unit and Cap only)



Summit Blend



4 x 8 Unit

4" H

Pallet Coverage:

Pcs/Pallet:

Weight Each:

Pallet Weight:

8" W

Coverage/Piece: 4.5 or 5.1 pcs/ft²

168

18 lb

2,906 lb

6" W

32.9 or 37.33 ft²

8" D





Coverage/Piece:	1.5 or 1.7 pcs / In ft
Pallet Coverage:	98.8 or 112 ln ft
Pcs/Pallet:	168
Weight Each:	18 lb
Pallet Weight:	2,906 lb

4 x 12 Unit



Pcs. / Face Ft.:	3 (or 3.27)
Pcs/Pallet:	126
Weight Each:	26 lb
Pallet Weight:	3,326 lb
23 units make a	circle 68" inside dia.

4	х	1	2	Ca	р




Pcs. / Lineal Ft.:	1.09	
Pcs/Pallet:	126	
Weight Each:	26 lb	
Pallet Weight:	3,326 lb	
23 units make a	circle 68" inside dia.	

8 x 8 Jumbo



Pcs. / Face Ft.:	2.25 (or 2.57)
Pcs/Pallet:	48
Weight Each:	32 lb
Pallet Weight:	1,567 lb
23 units make a c	ircle 44" inside dia.

90° Corner



Pcs/Pallet:	36
Weight Each:	24 lb
Pallet Weight:	864 lb





RETAINING WALLS

PLANTERS

TERRACES

STAIRS



Cascade Blend



Summit Blend (tapers only)

Cascade Blend CypressStone

Standard Unit



Coverage/Piece:	3 pcs/ft ²
Pallet Coverage:	24 ft2
Pcs/Pallet:	72
Weight Each:	42 lb
Pallet Weight:	3,024 lb

Tapered Unit



Coverage/Piece:	3 pcs/ft ²
Pallet Coverage:	24 ft ²
Pcs/Pallet:	72
Weight Each:	38 lb
Pallet Weight:	2,736 lb

Corner Unit



Coverage/Piece:	1.2 ft²/pc
Pcs/Pallet:	30
Weight Each:	72 lb
Pallet Weight:	2,160 lb

Revers-a-Cap



Pcs/Lineal Ft.:	1.5 pcs In ft
Pallet Coverage:	60 ln ft
Pcs/Pallet:	96
Weight Each:	22 lb
Pallet Weight:	2,450 lb

9" Coping Unit*



Coverage/Piece:	2 ln ft/pc
Pallet Coverage:	72 ln ft
Pcs/Pallet:	36
Weight Each:	52 lb
Pallet Weight:	1,922 lb

12" Coping Unit*



Coverage/Piece:	2 ln ft/pc
Pallet Coverage:	112 ln ft
Pcs/Pallet:	56
Weight Each:	66 lb
Pallet Weight:	3,696 lb

*Coping Units must be split on site.

COTTAGESTONE® ADVANTAGE

MAXIMUM HEIGHT: 2 FEET

Split Flat Face Tapered Sides



TERRACES PLANTERS

RETAINING WALLS

Slate Face Tapered Sides



Split Face Tapered Sides

Coverage/Piece:	3 pcs / ft ²
Pallet Coverage:	37.33 ft ²
Pcs/Pallet:	144
Weight Each:	23 lb
Pallet Weight:	3,312 lb



Coverage/Piece:	3 pcs / ft ²
Pallet Coverage:	37.33 ft ²
Pcs/Pallet:	144
Weight Each:	23 lb
Pallet Weight:	3,312 lb



Coverage/Piece:	3 pcs / ft ²
Pallet Coverage:	37.33 ft ²
Pcs/Pallet:	144
Weight Each:	23 lb
Pallet Weight:	3,312 lb



Rustic Blend









Summit Blend





R 50 Radius Cap Split Face

Tapered and Straight-Sided Units available.



Coverage/Piece:	1.5 ln ft / pc
Pallet Coverage:	72 ln ft
Pcs/Pallet:	48
Weight Each:	60 lb
Pallet Weight:	2,930 lb



F 50 Cap Split Face

Tapered and Straight-Sided Units available.

Coverage/Piece:	1.5 ln ft / pc
Pallet Coverage:	72 ln ft
Pcs/Pallet:	48
Weight Each:	60 lb
Pallet Weight:	2,930 lb



R 100 Radius Split Face

Coverage/Piece:	1 pc / ft²
Pallet Coverage:	40 ft ²
Pcs/Pallet:	40
Weight Each:	76 lb
Pallet Weight:	3,090 lb


R 100 Radius Cap Split Face



Coverage/Piece:	1.44 ln ft / pc
Pallet Coverage:	46.08 ln ft
Pcs/Pallet:	32
Weight Each:	110 lb
Pallet Weight:	3,570 lb

F 100 Corner Split Face

Available with Straight-Sides and Flat-Face only.



Coverage/Piece:

Pallet Coverage:

Pcs/Pallet:

Weight Each:

Pallet Weight:

Coverage/Piece:


Pallet Coverage:

Pcs/Pallet:

Weight Each:

Pallet Weight:

F 100 Split Face



Coverage/Piece:	1 pc / ft²
Pallet Coverage:	40 ft ²
Pcs/Pallet:	40
Weight Each:	83 lb
Pallet Weight:	3,570 lb

F 100 Cap Split Face

Tapered and Straight-Sided Units available.



Coverage/Piece:	1.5 ln ft / pc
Pallet Coverage:	48 ln ft
Pcs/Pallet:	32
Weight Each:	110 lb
Pallet Weight:	3,570 lb

F 200 Split Face


1.5 ft² / pc

60 ft²

85 lb

3,450 lb

40



1 pc / ft²


 25 ft^2

130 lb

3,330 lb

25

F	100	Near	Vertical	Split	Face
		i i cui	V CI CI CUI	Spine	i acc



Coverage/Piece:	1 pc / ft²
Pallet Coverage:	40 ft ²
Pcs/Pallet:	40
Weight Each:	76 lb
Pallet Weight:	3,090 lbs



Gray



Summit Blend





MANORSTONE® MAXIMUM HEIGHT: 3.5 FEET

TERRACES RAISED GARDEN

D RETAINING EN WALLS

Radius Split Face

Available in Gray, Northwest Blend and Summit Blend.



Coverage/Piece:	1.5 pcs / ft ²
Pallet Coverage:	30 ft ²
Pcs/Pallet:	45
Weight Each:	65.5 lb
Pallet Weight:	2997.5 lb



Coverage/Piece:	1.5 pcs / ft ²
Pallet Coverage:	30 ft ²
Pcs/Pallet:	45
Weight Each:	64 lb
Pallet Weight:	2,930 lb

Straight Side Flat Split Face

Available in Gray, Northwest Blend and Summit Blend.



Coverage/Piece:	1.5 pcs / ft ²
Pallet Coverage:	30 ft ²
Pcs/Pallet:	45
Weight Each:	79 lb
Pallet Weight:	3,605 lb

Corner Split Face

Available in Gray, Northwest Blend and Summit Blend.



Tapered Cap 3x18 Split Face

Available in Charcoal, Gray, Northwest Blend and Summit Blend.



Cap 3x16 Smooth Face

Available in Gray and Onyx



1 pc / ft ²	Coverage/Piece:	0.8 pcs / ln ft	Coverage/Piece:	.75 pcs / In ft
60 ft ²	Pallet Coverage:	90 ln ft	Pallet Coverage:	96 ln ft
60	Pcs/Pallet:	72	Pcs/Pallet:	72
56 lb	Weight Each:	45 lb	Weight Each:	43 lb
3,410 lb	Pallet Weight:	3,290 lb	Pallet Weight:	3,146 lb



Coverage/Piece:	1.5 pcs / ln ft	Coverage/Piece:	2 ln ft/pc
Pallet Coverage:	64 ln ft	Pallet Coverage:	112 ln ft
Pcs/Pallet:	96	Pcs/Pallet:	56
Weight Each:	22 lb	Weight Each:	66 lb
Pallet Weight:	2,162 lb	Pallet Weight:	3,696 lb

Coverage/Piece: Pallet Coverage: Pcs/Pallet: Weight Each: Pallet Weight:








Northwest Blend



Summit Blend



Cascade Blend



Charcoal



Onyx





MANORSTONE®ELITE

MAXIMUM HEIGHT: 3.5 FEET



ED RETAINING DEN WALLS




Available in Charcoal and Gray



1.5 pcs/ft ²
36 ft ²
54
46 lb
2,484 lb

Cap 3x16 Smooth Face

Available in Gray and Onyx



Coverage/Piece:	75 pcs/ln ft
Pallet Coverage:	96 ln ft
Pcs/Pallet:	72
Weight Each:	43 lb
Pallet Weight:	3,146 lb



Split Face Tapered Sides

Coverage/Piece:	1.5 pcs/ft ²
Pallet Coverage:	36 ft ²
Pcs/Pallet:	54
Weight Each:	46 lb
Pallet Weight:	2,484 lb

Coping Unit

Available in Cascade Blend, Gray and Onyx



Coverage/Piece:	2 ln ft/pc
Pallet Coverage:	112 ln ft
Pcs/Pallet:	56
Weight Each:	66 lb
Pallet Weight:	3,696 lb





Available in Charcoal and Gray



0.8 pcs/ln ft
90 ln ft
72
45 lb
3,290 lb








Split Face Texture (Shown in Gray)










ARCHITECTURAL SLABS AND PATIO STONES






VANCOUVER BAY SERIES



Vancouver Bay Slabs are not suitable for vehicular traffic.




Charcoal




Grey




Latte








Coverage:	2.25 ft² / pc
Pallet Coverage:	112.5 ft ²
Pcs/Pallet:	56
Weight Each:	45 lb
Pallet Weight:	2,750 lb



24 x 24 Vancouver Bay

Coverage:	4.0 ft² / pc
Pallet Coverage:	112.0 ft ²
Pcs/Pallet:	24
Weight Each:	87 lb
Pallet Weight:	2,500 lb

12 x 24 Vancouver Bay




Coverage:	2.0 ft² / pc
Pallet Coverage:	112.0 ft ²
Pcs/Pallet:	56
Weight Each:	45 lb
Pallet Weight:	2,500 lb





Glacier Slate Slabs are not suitable for vehicular traffic.

24 x 24 Glacier Slate



Coverage:	4 ft² / pc
Pallet Coverage:	96 ft ²
Pcs/Pallet:	24
Weight Each:	87 lb
Pallet Weight:	2,208 lb



Charcoal

COLUMBIA PATIO SERIES



Columbia Patio Series Slab is not suitable for vehicular traffic.



Cascade Blend




Summit Blend





Northwest Blend

Rectangle (Slate & Smooth texture)




Pcs. / Sq. Ft.:	1.125
Pcs/Pallet:	168
Weight Each:	18 lb
Pallet Weight:	3,074 lb






Square (Slate & Smooth texture)





0.58
84
36 lb
3,074 lb


Large Rectangle (Slate & Smooth texture)



Pcs. / Sq. Ft.:	0.39
Pcs/Pallet:	56
Weight Each:	60 lb
Pallet Weight:	3,410 lb









PORCELAIN ARCHITECTURAL SLABS



Porcelain Slab Unit





Limestone







Silver Quartz











Bluestone Select




Vintage










SLATON™



Slaton Patio Stones are not suitable for vehicular traffic.






Northwest Blend

	Slaton™
Coverage:	1.39 ft ²
Pallet Coverage:	66.7 ft ²
Pcs/Pallet:	56
Weight Each:	43 lb
Pallet Weight:	2,458 lb

Six Face Patterns









ROUND EXPOSED AGGREGATE STEP STONES

1 %" H

12" W

16" W

Pcs. / Sq. Ft.:

Weight Each:

Pallet Weight:

Pcs/Pallet:



12" width

1

120

29 lb

2,700 lb

12" diameter

 Dimensions
 12" dia x 2" h

 Pcs/Pallet:
 120

 Weight Each:
 22 lb

 Pallet Weight:
 2,000 lb

12" L

Pcs. / Sq. Ft.:

Weight Each:

Pallet Weight:

Pcs/Pallet:



16" diameter

16" width

0.56

36 lb

3,300 lb

84

1¾" H

16" L


Dimensions16" dia x 2" hPcs/Pallet:80Weight Each:30 lbPallet Weight:2,500 lb



EDGERS

Cobble Edger


Edgestones




Pcs. / Lineal Ft.1Pcs. / Pallet:224Weight / Each:13 lbWeight / Pallet:2,912 lb











 Pcs. / Lineal Ft.:
 1 ½

 Pcs/Pallet:
 336

 Weight Each:
 9 lb

 Pallet Weight:
 3,050 lb



Pcs. / Lineal Ft.:	³ /4
Pcs/Pallet:	240
Weight Each:	12 lb
Pallet Weight:	3,096 lb

HARDSCAPE ACCESSORIES

Sands, Gravel, Cements and Mortars

Packaged products are designed to meet the needs of homeowners, contractors and masons. Available products include base rock, paver sand, drain rock, joint sand, sand lock and polysweep.



Edge Restraints

Edge restraints are a necessary component of all concrete paver installations. Edging is available in both rigid and flexible pieces. Whether you're building a patio, driveway, or commercial installation, Mutual Materials carries an edge restraint designed to meet the specific technical requirements of your project.



SLAB ACCESSORIES




Diamond Head[™] Series Pedestals

AWS[™] Pedestal System just got better with the Diamond Head[™] Series, the two-piece top cap twists from 1/8" to 1-1/4" inch, to virtually eliminate PVC cutting in the field. It is supported by a 6.5" new base cap for balance, and on most membranes this pedestal virtually eliminates the need for a "barrier piece" against the membrane. All shims lock with the new Diamond Head[™] Series pieces to fine tune support and eliminate "rockers".

SMART-BLEND PROCESS


When installing products we recommend smart blending per diagrams below to achieve a blended colour pallet.




Pavers will be pulled from **3 different pallets** at a time.



The next set of pavers are removed from the **left back** corner of each pallet - leaving the center grouping of pavers.



First set of pavers are removed from the **right front** corner of each pallet - leaving the center grouping of pavers.




The next set of pavers are removed from the **left front** corner of each pallet - leaving the center grouping of pavers.




The next set of pavers are removed from the **right back** corner of each pallet - leaving the center grouping of pavers.



When the third pallet has half of the center grouping remaining, begin pulling pavers from the next two pallets.



As the remaining pavers of the third pallet are removed, pull additional pavers from the **upper right front** corner of each of the next two pallets - leaving the center grouping of pavers on these pallets.



The next set of pavers are removed from the **right front** corner of each of three pallets – leaving the center grouping of pavers on these pallets.

Continue this paver removal pattern.

What is Efflorescense?

Efflorescence is a whitish powder-like deposit that may appear on surfaces of concrete construction. Efflorescence will not affect structural performance and may reach its peak in as short as 60 days after installation. It may remain for months and some of it may wear away.

The observance of efflorescence changes whether the product is wet or dry. Sometimes efflorescence becomes evident when pavers were installed wet, then allowed to dry. Efflorescence that appears well after the pavers have been installed should be investigated as a pavement issue with emphasis on external sources of water and possible sources of mineral contaminants

Efflorescence variations are subjective with light and moderate efflorescence expected. Light efflorescence can

be remedied with spot-treatment of the paver installation or will dissipate after a short period of time (i.e. less than a calendar year).

For moderate efflorescence follow cleaning instructions of your chosen Efflorescence remover or Paver Cleaner. As a caution, note that the surface cement in concrete pavers can be removed with overly aggressive cleaning applications. Typically, multiple light cleanings are more effective in maintaining the color and texture of a concrete paver than a single heavy cleaning.


Certain paver colors are more sensitive to cleaning chemicals. Always test the cleaning solution and process on a small, inconspicuous area before cleaning the entire installation.



After

Cleaning

Before Cleaning



Before Cleaning

After Cleaning





How do I order Mutual Materials' products that my home store doesn't stock?

Most stores have a Special Order program for non-stock items. Please check with a store representative for product availability in your area.

Can I install my own project even if I've never done this sort of work before?

Yes you can. Use the installation instructions in this catalog and the design ideas and tips on our website www.mutualmaterials.com to guide your project.

What type of maintenance do Mutual Materials' pavers require?

Our pavers require minimal maintenance. Simply pressure wash or use a leaf blower on your project approximately once per year. You may need to sweep more sand into the joints after pressure washing.

Do I need to seal my pavers?

No, however, sealers do offer 3 key benefits:

- 1) Sealers help resist penetrating stains.
- 2) Sealers enhance the color.
- 3) Certain types of sealers can bind the sand particles in the joints reducing the ability of weeds to generate.

Will weeds grow between my pavers?

Weeds and grass may start to grow between your pavers from seeds and spores blown in by the wind. When this happens you can easily pull them out or use a spot weed killer, or herbicide—it won't damage the pavers.

What is the white haze or powder on the pavers?

This is known as efflorescence. All concrete products contain cement which produces water-soluble calcium oxide. Calcium oxide inside the pavers reacts with water and—when carried to the surface through capillaries—reacts with carbon dioxide to form a haze of calcium carbonate.

It is a natural process and will wear off in time. The amount of efflorescence is difficult to predict but it does eventually go away. Some specially-formulated cleaners may also be used to wash away efflorescence.

What do I do if my pavers become stained?

One of the great benefits to concrete pavers is that the individual stained or damaged pavers can be removed and replaced. Remove the sand around the paver(s) and then use two flat-head screwdrivers to lift them out. It's a good idea to keep a few extra pavers in your shed or garage for just this need.

How tall can I build my retaining wall?

The maximum height you can build your wall depends on the retaining wall block you have chosen. The maximum heights for our walls are:

- Roman Cypress and CypressStone 4'0"
 - plus engineered heights
- RomanStack 2'0"
- StackStone 2'0"

Do I have to bury part of the bottom course of my wall?

Retaining wall blocks need to be securely anchored in the ground. If your wall is three (3) courses or fewer tall, we recommend you bury half of the bottom layer. If your wall is four (4) courses or more tall (up to the maximum recommended height), we recommend burying the entire bottom layer.

If I'm building terraces, how far apart should they be?

The distance between terraces (face of wall to face of wall) should be at least two times the lower wall height. For example, if your lower wall is 2 feet tall, you need to go back 4 feet before building your next wall.

What are the advantages of Mutual Materials retaining wall blocks versus using landscape timbers?

Our retaining wall units are available in a variety of styles and colors to blend with your home's exterior. And unlike products made from untreated wood which rot, warp, and become insect and rodent motels, our products are made to be durable, flexible and timeless.

Will the colour vary between runs of products?

Color may vary from one run to the next. It is best to buy all the product for a project at once. We recommend mixing product from different pallets in order to get a more consistent color in your project. This is also known as blending pallets. **MUTUALMATERIALS**

BUILDING BEAUTY THAT LASTS

We are a family-owned company with over a 120-year history of building communities across Western Canada and the Pacific Northwest.

Our masonry and hardscape products are the foundation for schools, hospitals, stadiums, fire stations, businesses, parks, local family homes and back yards.

We are proud of our Northwest heritage and thrilled that homeowners can build beautiful Outdoor Living areas with our products.

Contact us for a dealer or location near you. www.MutualMaterials.com

YOUR MUTUAL MATERIALS DEALER



FSC FPO

Vancouver Bay slab ©2024 Mutual Materials